

Clinical outcome

- **Intensive Care**

[Clinical pharmacists' interventions in a German university hospital.](#)

Langebrake C, Hilgarth H.

Pharm World Sci. 2010 Apr;32(2):194-9. Epub 2010 Jan 19. →pdf available

[Effects of pharmacist participation in intensive care units on clinical and economic outcomes of critically ill patients with thromboembolic or infarction-related events.](#)

MacLaren R, Bond CA.

Pharmacotherapy. 2009 Jul;29(7):761-8.

[Clinical and economic outcomes of involving pharmacists in the direct care of critically ill patients with infections.](#)

MacLaren R, Bond CA, Martin SJ, Fike D.

Crit Care Med. 2008 Dec;36(12):3184-9. →pdf available

[Clinical pharmacist on intensive care unit saves lives and reduces costs.](#)

Knibbe CA, Tjoeng MM.

Crit Care Med. 2008 Dec;36(12):3269-70. →pdf available

[Impact of a clinical pharmacist-enforced intensive care unit sedation protocol on duration of mechanical ventilation and hospital stay.](#)

Marshall J, Finn CA, Theodore AC.

Crit Care Med. 2008 Feb;36(2):427-33. →pdf available

[How to increase return on investment of the intensive care pharmacist - fear of flying.](#)

Hartmann M, Meier-Hellmann A.

Intensive Care Med. 2006 Apr;32(4):511-5. Epub 2006 Feb 16. No abstract available. →pdf available

Comment to previous article:

[Clinical pharmacists in the intensive care unit: Is there really an equation?](#)

Intensive Care Med. 2006 Aug;32(8):1275-6; author reply 1277. (→pdf available):

[A prospective study of the impact of a critical care pharmacist assigned as a member of the multidisciplinary burn care team.](#)

Patel NP, Brandt CP, Yowler CJ.

J Burn Care Res. 2006 May-Jun;27(3):310-3.

[The critical care clinical pharmacist: evolution of an essential team member.](#)

Horn E, Jacobi J.

Crit Care Med. 2006 Mar;34(3 Suppl):S46-51. →pdf available

[The impact of critical care pharmacists on enhancing patient outcomes.](#)

Kane SL, Weber RJ, Dasta JF.

Intensive Care Med. 2003 May;29(5):691-8. Epub 2003 Mar 29. Review. →pdf available

[Impact of a pediatric clinical pharmacist in the pediatric intensive care unit.](#)

Krupicka MI, Bratton SL, Sonnenthal K, Goldstein B.

Crit Care Med. 2002 Apr;30(4):919-21. →pdf available

[Intensive care unit antimicrobial resistance and the role of the pharmacist.](#)

Ibrahim KH, Gunderson B, Rotschafer JC.
Crit Care Med. 2001 Apr;29(4 Suppl):N108-13. →pdf available

[Reduction in heart failure events by the addition of a clinical pharmacist to the heart failure management team: results of the Pharmacist in Heart Failure Assessment Recommendation and Monitoring \(PHARM\) Study.](#)

Gattis WA, Hasselblad V, Whellan DJ, O'Connor CM.
Arch Intern Med. 1999 Sep 13;159(16):1939-45. →pdf available

[Pharmacist participation on physician rounds and adverse drug events in the intensive care unit.](#)

Leape LL, Cullen DJ, Clapp MD, Burdick E, Demonaco HJ, Erickson JI, Bates DW.
JAMA. 1999 Jul 21;282(3):267-70. Erratum in: JAMA 2000 Mar 8;283(10):1293. →pdf available

Comments to previous article (→pdf available):

[Preventing medication errors in the intensive care unit.](#) Rubino C et al. JAMA. 2000 Mar 8;283(10):1288; author reply 1288-9.

[Preventing medication errors in the intensive care unit.](#) Boullata JI et al. JAMA. (2000) Mar 8;283(10):1287-8; author reply 1288-9.

[Preventing medication errors in the intensive care unit.](#) Chen JJ et al. JAMA. (2000) Mar 8;283(10):1287; author reply 1288-9.

- **Emergency Department**

[Medication errors recovered by emergency department pharmacists.](#)

Rothschild JM, Churchill W, Erickson A, Munz K, Schuur JD, Salzberg CA, Lewinski D, Shane R, Aazami R, Patka J, Jaggars R, Steffenhagen A, Rough S, Bates DW.
Ann Emerg Med. 2010 Jun;55(6):513-21. Epub 2009 Dec 11. →pdf available

[Expansion of pharmacists' responsibilities in an emergency department.](#)

Randolph TC.
Am J Health Syst Pharm. 2009 Aug 15;66(16):1484-7. →pdf available

[Effect of clinical pharmacists on care in the emergency department: a systematic review.](#)

Cohen V, Jellinek SP, Hatch A, Motov S.
Am J Health Syst Pharm. 2009 Aug 1;66(15):1353-61. →pdf available

[The effect on medication errors of pharmacists charting medication in an emergency department.](#)

Vasileff HM, Whitten LE, Pink JA, Goldsworthy SJ, Angley MT.
Pharm World Sci. 2009 Jun;31(3):373-9. Epub 2008 Nov 29. →pdf available

[The contribution of a pharmacy admissions service to patient care.](#)

Bracey G, Miller G, Franklin BD, Jacklin A, Gaskin G.
Clin Med. 2008 Feb;8(1):53-7.

[Pharmacist-conducted medication reconciliation in an emergency department.](#)

Hayes BD, Donovan JL, Smith BS, Hartman CA.
Am J Health Syst Pharm. 2007 Aug 15;64(16):1720-3.

[Pharmacist-acquired medication histories in a university hospital emergency department.](#)

Carter MK, Allin DM, Scott LA, Grauer D.
Am J Health Syst Pharm. 2006 Dec 15;63(24):2500-3. →pdf available

- **Geriatric Care**

[A ward-based pharmacist intervention reduced emergency department visits and drug-related readmissions in elderly patients.](#)

Belknap SM.

Ann Intern Med. 2009 Sep 15;151(6):JC3-14. No abstract available. →pdf available

[A comprehensive pharmacist intervention to reduce morbidity in patients 80 years or older: a randomized controlled trial.](#)

Gillespie U, Alassaad A, Henrohn D, Garmo H, Hammarlund-Udenaes M, Toss H, Kettis-Lindblad A, Melhus H, Mörlin C.

Arch Intern Med. 2009 May 11;169(9):894-900. →pdf available

Comment to previous article:

[A ward-based pharmacist intervention reduced emergency department visits and drug-related readmissions in elderly patients.](#)

Belknap SM.

Ann Intern Med. 2009 Sep 15;151(6):JC3-14. No abstract available. →pdf available

[Does pharmacist-led medication review help to reduce hospital admissions and deaths in older people? A systematic review and meta-analysis.](#)

Holland R, Desborough J, Goodyer L, Hall S, Wright D, Loke YK.

Br J Clin Pharmacol. 2008 Mar;65(3):303-16. Epub 2007 Dec 17. →pdf available

[Optimizing the use of antithrombotic therapy for atrial fibrillation in older people: a pharmacist-led multidisciplinary intervention.](#)

Bajorek BV, Krass I, Ogle SJ, Duguid MJ, Shenfield GM.

J Am Geriatr Soc. 2005 Nov;53(11):1912-20. →pdf available

[The benefits of a hospital based community services liaison pharmacist.](#)

Brookes K, Scott MG, McConnell JB.

Pharm World Sci. 2000 Apr;22(2):33-8. →pdf available

- **Hemathology / Oncology**

[Pain attitudes and knowledge among RNs, pharmacists, and physicians on an inpatient oncology service.](#)

Xue Y, Schulman-Green D, Czaplinski C, Harris D, McCorkle R.

Clin J Oncol Nurs. 2007 Oct;11(5):687-95. →pdf available

[Evaluation of clinical pharmacy services in a hematology/oncology outpatient setting.](#)

Shah S, Dowell J, Greene S.

Ann Pharmacother. 2006 Sep;40(9):1527-33. Epub 2006 Aug 1.

[An evaluation of pharmacist contribution to an oncology ward in a Swedish hospital](#)

Bremberg ER, Hising C, Nylén U, Ehrsson H, Eksborg S.

J Oncol Pharm Pract. 2006 Jun;12(2):75-81. →pdf available

[Optimizing the use of antithrombotic therapy for atrial fibrillation in older people: a pharmacist-led multidisciplinary intervention.](#)

Bajorek BV, Krass I, Ogle SJ, Duguid MJ, Shenfield GM.

J Am Geriatr Soc. 2005 Nov;53(11):1912-20. →pdf available

[Patient survey of a pharmacist-managed anticoagulation clinic.](#)

Lewis SM, Kroner BA.

Manag Care Interface. 1997 Nov;10(11):66-70.

- **Internal Medicine**

[Pharmacist-Physician Comanagement of Hypertension and Reduction in 24-Hour Ambulatory Blood Pressures](#)

Cynthia A. Weber, PharmD; Michael E. Ernst, PharmD; Genesis S. Sezate, BS; Shimin Zheng, PhD; Barry L. Carter, PharmD

Arch Intern Med. 2010;170(18):1634-1639 →pdf available

[The potency of team-based care interventions for hypertension: a meta-analysis.](#)

Carter BL, Rogers M, Daly J, Zheng S, James PA.

Arch Intern Med. 2009 Oct 26;169(19):1748-55. Review. →pdf available

[A ward-based pharmacist intervention reduced emergency department visits and drug-related readmissions in elderly patients.](#)

Belknap SM.

Ann Intern Med. 2009 Sep 15;151(6):JC3-14. No abstract available. →pdf available

[Sensitivity of patient outcomes to pharmacist interventions. Part III: systematic review and meta-analysis in hyperlipidemia management.](#)

Machado M, Nassor N, Bajcar JM, Guzzo GC, Einarson TR.

Ann Pharmacother. 2008 Sep;42(9):1195-207. Epub 2008 Aug 5. Review.

[Pain management pharmacy service in a community hospital.](#)

Fan T, Elgourt T.

Am J Health Syst Pharm. 2008 Aug 15;65(16):1560-5. →pdf available

[Sensitivity of patient outcomes to pharmacist interventions. Part II: Systematic review and meta-analysis in hypertension management.](#)

Machado M, Bajcar J, Guzzo GC, Einarson TR.

Ann Pharmacother. 2007 Nov;41(11):1770-81. Epub 2007 Oct 9. Review.

[Sensitivity of patient outcomes to pharmacist interventions. Part I: systematic review and meta-analysis in diabetes management.](#)

Machado M, Bajcar J, Guzzo GC, Einarson TR.

Ann Pharmacother. 2007 Oct;41(10):1569-82. Epub 2007 Aug 21. Review.

[Medication-related problems in ambulatory hemodialysis patients: a pooled analysis.](#)

Manley HJ, Cannella CA, Bailie GR, St Peter WL.

Am J Kidney Dis. 2005 Oct;46(4):669-80.

[Can clinical pharmacists affect SF-36 scores in veterans at high risk for medication-related problems?](#)

Malone DC, Carter BL, Billups SJ, Valuck RJ, Barnette DJ, Sintek CD, Okano GJ, Ellis S, Covey D, Mason B, Jue S, Carmichael J, Guthrie K, Sloboda L, Dombrowski R, Geraets DR, Amato MG.

Med Care. 2001 Feb;39(2):113-22. →pdf available

[Contribution of a liaison clinical pharmacist to an inpatient palliative care unit.](#)

Lucas C, Glare PA, Sykes JV.

Palliat Med. 1997 May;11(3):209-16. →pdf available

- **Pediatric Care**

[Pharmacists' medication reconciliation-related clinical interventions in a children's hospital.](#)

Gardner B, Graner K.
Jt Comm J Qual Patient Saf. 2009 May;35(5):278-82.

[Medication dosing and renal insufficiency in a pediatric cardiac intensive care unit: impact of pharmacist consultation.](#)

Moffett BS, Mott AR, Nelson DP, Gurwitsch KD.
Pediatr Cardiol. 2008 Jul;29(4):744-8. Epub 2007 Dec 14. →pdf available

[Pharmacist-conducted medication reconciliation in an emergency department.](#)

Hayes BD, Donovan JL, Smith BS, Hartman CA.
Am J Health Syst Pharm. 2007 Aug 15;64(16):1720-3.

[Prevention of pediatric medication errors by hospital pharmacists and the potential benefit of computerized physician order entry.](#)

Wang JK, Herzog NS, Kaushal R, Park C, Mochizuki C, Weingarten SR.
Pediatrics. 2007 Jan;119(1):e77-85. →pdf available

[Impact of a pediatric clinical pharmacist in the pediatric intensive care unit.](#)

Krupicka MI, Bratton SL, Sonnenthal K, Goldstein B.
Crit Care Med. 2002 Apr;30(4):919-21. →pdf available

- **Surgery**

[Clinical pharmacy services and solid organ transplantation: a literature review.](#)

Stemer G, Lemmens-Gruber R.
Pharm World Sci. 2010 Feb;32(1):7-18. Epub 2009 Dec 11. Review. →pdf available

[Cost effectiveness of a clinical pharmacist on a neurosurgical team.](#)

Weant KA, Armitstead JA, Ladha AM, Sasaki-Adams D, Hadar EJ, Ewend MG.
Neurosurgery. 2009 Nov;65(5):946-50; discussion 950-1. →pdf available

[Effects of pharmaceutical care intervention by clinical pharmacists in renal transplant clinics.](#)

Wang HY, Chan AL, Chen MT, Liao CH, Tian YF.
Transplant Proc. 2008 Sep;40(7):2319-23. →pdf available

[The impact of clinical pharmacist in a cardiac-surgery intensive care unit.](#)

Al-Jazairi AS, Al-Agil AA, Asiri YA, Al-Kholi TA, Akhras NS, Horanieh BK.
Saudi Med J. 2008 Feb;29(2):277-81. →pdf available

[Pharmacist medication assessments in a surgical preadmission clinic.](#)

Kwan Y, Fernandes OA, Nagge JJ, Wong GG, Huh JH, Hurn DA, Pond GR, Bajcar JM.
Arch Intern Med. 2007 May 28;167(10):1034-40. →pdf available

[Effect of clinical pharmacy services on the blood pressure of African-American renal transplant patients.](#)

Chisholm MA, Mulloy LL, Jagadeesan M, Martin BC, DiPiro JT.
Ethn Dis. 2002 Summer;12(3):392-7.

[Impact of clinical pharmacy services on renal transplant patients' compliance with immunosuppressive medications.](#)

Chisholm MA, Mulloy LL, Jagadeesan M, DiPiro JT.
Clin Transplant. 2001 Oct;15(5):330-6. →pdf available

[Economic impact and clinical benefits of pharmacist involvement on surgical wards.](#)

Ariano RE, Demianczuk RH, Danzinger RG, Richard A, Milan H, Jamieson B.
Can J Hosp Pharm. 1995 Oct;48(5):284-9.

- **Use of Antibiotics**

[Clinical and economic outcomes of involving pharmacists in the direct care of critically ill patients with infections.](#)

MacLaren R, Bond CA, Martin SJ, Fike D.
Crit Care Med. 2008 Dec;36(12):3184-9. →pdf available

[Impact of mecA gene testing and intervention by infectious disease clinical pharmacists on time to optimal antimicrobial therapy for Staphylococcus aureus bacteremia at a University Hospital.](#)

Carver PL, Lin SW, DePestel DD, Newton DW.
J Clin Microbiol. 2008 Jul;46(7):2381-3. Epub 2008 May 7. →pdf available

[Antimicrobial optimisation in secondary care: the pharmacist as part of a multidisciplinary antimicrobial programme--a literature review.](#)

Tonna AP, Stewart D, West B, Gould I, McCaig D.
Int J Antimicrob Agents. 2008 Jun;31(6):511-7. Epub 2008 Mar 20. Review. →pdf available

[Clinical and economic outcomes of pharmaceutical services related to antibiotic use: a literature review.](#)

von Gunten V, Reymond JP, Beney J.
Pharm World Sci. 2007 Jun;29(3):146-63. Epub 2007 Feb 2. Review. →pdf available

[Systematic review of antimicrobial drug prescribing in hospitals.](#)

Davey P, Brown E, Fenelon L, Finch R, Gould I, Holmes A, Ramsay C, Taylor E, Wiffen P, Wilcox M.
Emerg Infect Dis. 2006 Feb;12(2):211-6. Review. →pdf available

[Interventions to improve antibiotic prescribing practices for hospital inpatients.](#)

Davey P, Brown E, Fenelon L, Finch R, Gould I, Hartman G, Holmes A, Ramsay C, Taylor E, Wilcox M, Wiffen P.
Cochrane Database Syst Rev. 2005 Oct 19;(4):CD003543. Review. →pdf available

[Intensive care unit antimicrobial resistance and the role of the pharmacist.](#)

Ibrahim KH, Gunderson B, Rotschafer JC.
Crit Care Med. 2001 Apr;29(4 Suppl):N108-13. →pdf available

[A randomized trial to measure the optimal role of the pharmacist in promoting evidence-based antibiotic use in acute care hospitals.](#)

Dranitsaris G, Spizzirri D, Pitre M, McGeer A.
Int J Technol Assess Health Care. 2001 Spring;17(2):171-80.

Economic outcome

[Economic effects of pharmacists on health outcomes in the United States: A systematic review](#)

Marie A. Chisholm-Burns, Joshua S. Graff Zivin, Jeannie Kim Lee, Christina A. Spivey, Marion Slack, Richard N. Herrier, Elizabeth Hall-Lipsy, Ivo Abraham and John Palmer
Am J Health Syst Pharm. 2010 Oct 1;67(19):1624-34. →pdf available

[Effects of pharmacist participation in intensive care units on clinical and economic outcomes of critically ill patients with thromboembolic or infarction-related events.](#)

MacLaren R, Bond CA.
Pharmacotherapy. 2009 Jul;29(7):761-8.

[Cost effectiveness of a clinical pharmacist on a neurosurgical team.](#)

Weant KA, Armitstead JA, Ladha AM, Sasaki-Adams D, Hadar EJ, Ewend MG.
Neurosurgery. 2009 Nov;65(5):946-50; discussion 950-1. →pdf available

[A comprehensive pharmacist intervention to reduce morbidity in patients 80 years or older: a randomized controlled trial.](#)

Gillespie U, Alassaad A, Henrohn D, Garmo H, Hammarlund-Udenaes M, Toss H, Kettis-Lindblad A, Melhus H, Mörlin C.
Ann Intern Med. 2009 Sep 15;151(6):JC3-14. →pdf available

[Effect of clinical pharmacists on care in the emergency department: a systematic review.](#)

Cohen V, Jellinek SP, Hatch A, Motov S.
Am J Health Syst Pharm. 2009 Aug 1;66(15):1353-61. →pdf available

[Clinical and economic outcomes of involving pharmacists in the direct care of critically ill patients with infections.](#)

MacLaren R, Bond CA, Martin SJ, Fike D.
Crit Care Med. 2008 Dec;36(12):3184-9. →pdf available

[Medication dosing and renal insufficiency in a pediatric cardiac intensive care unit: impact of pharmacist consultation.](#)

Moffett BS, Mott AR, Nelson DP, Gurwitsch KD.
Pediatr Cardiol. 2008 Jul;29(4):744-8. Epub 2007 Dec 14. →pdf available

[Cost implications of and potential adverse events prevented by interventions of a critical care pharmacist.](#)

Kopp BJ, Mersan M, Erstad BL, Duby JJ.
Am J Health Syst Pharm. 2007 Dec 1;64(23):2483-7. →pdf available

[Clinical and economic outcomes of pharmaceutical services related to antibiotic use: a literature review.](#)

von Gunten V, Reymond JP, Beney J.
Pharm World Sci. 2007 Jun;29(3):146-63. Epub 2007 Feb 2. Review. →pdf available

[A prospective study of the impact of a critical care pharmacist assigned as a member of the multidisciplinary burn care team.](#)

Patel NP, Brandt CP, Yowler CJ.
J Burn Care Res. 2006 May-Jun;27(3):310-3.

[Improving medication management for patients: the effect of a pharmacist on post-admission ward rounds.](#)

Fertleman M, Barnett N, Patel T.

Qual Saf Health Care. 2005 Jun;14(3):207-11. Erratum in: Qual Saf Health Care. 2005 Aug;14(4):312.
→pdf available

[Documentation of pharmacists' interventions and associated cost savings.](#)

Sayles TJ.

Am J Health Syst Pharm. 2004 Apr 15;61(8):838, 840. No abstract available. →pdf available

[Impact of a pediatric clinical pharmacist in the pediatric intensive care unit.](#)

Krupicka MI, Bratton SL, Sonnenthal K, Goldstein B.

Crit Care Med. 2002 Apr;30(4):919-21. →pdf available

[Interrelationships among mortality rates, drug costs, total cost of care, and length of stay in United States hospitals: summary and recommendations for clinical pharmacy services and staffing.](#)

Bond CA, Raehl CL, Franke T.

Pharmacotherapy. 2001 Feb;21(2):129-41.

[A prospective, randomized trial to assess the cost impact of pharmacist-initiated interventions.](#)

McMullin ST, Hennenfent JA, Ritchie DJ, Huey WY, Lonergan TP, Schaiff RA, Tonn ME, Bailey TC.

Arch Intern Med. 1999 Oct 25;159(19):2306-9. →pdf available

[Pharmacist influence on economic and morbidity outcomes in a tertiary care teaching hospital.](#)

Boyko WL Jr, Yurkowski PJ, Ivey MF, Armitstead JA, Roberts BL.

Am J Health Syst Pharm. 1997 Jul 15;54(14):1591-5.

[Contribution of a liaison clinical pharmacist to an inpatient palliative care unit.](#)

Lucas C, Glare PA, Sykes JV.

Palliat Med. 1997 May;11(3):209-16. →pdf available

[Economic impact and clinical benefits of pharmacist involvement on surgical wards.](#)

Ariano RE, Demianczuk RH, Danzinger RG, Richard A, Milan H, Jamieson B.

Can J Hosp Pharm. 1995 Oct;48(5):284-9.

Patient Safety

- **Morbidity & Mortality**

[A comprehensive pharmacist intervention to reduce morbidity in patients 80 years or older: a randomized controlled trial.](#)

Gillespie U, Alassaad A, Henrohn D, Garmo H, Hammarlund-Udenaes M, Toss H, Kettis-Lindblad A, Melhus H, Mörlin C.

Arch Intern Med. 2009 May 11;169(9):894-900. →pdf available

[Impact of mecA gene testing and intervention by infectious disease clinical pharmacists on time to optimal antimicrobial therapy for Staphylococcus aureus bacteremia at a University Hospital.](#)

Carver PL, Lin SW, DePestel DD, Newton DW.

J Clin Microbiol. 2008 Jul;46(7):2381-3. Epub 2008 May 7. →pdf available

[Does pharmacist-led medication review help to reduce hospital admissions and deaths in older people? A systematic review and meta-analysis.](#)

Holland R, Desborough J, Goodyer L, Hall S, Wright D, Loke YK.
Br J Clin Pharmacol. 2008 Mar;65(3):303-16. Epub 2007 Dec 17. →pdf available

[The impact of clinical pharmacist in a cardiac-surgery intensive care unit.](#)

Al-Jazairi AS, Al-Agil AA, Asiri YA, Al-Kholi TA, Akhras NS, Horanieh BK.
Saudi Med J. 2008 Feb;29(2):277-81. →pdf available

[Interventions in primary care to reduce medication related adverse events and hospital admissions: systematic review and meta-analysis.](#)

Royal S, Smeaton L, Avery AJ, Hurwitz B, Sheikh A.
Qual Saf Health Care. 2006 Feb;15(1):23-31. →pdf available

[Quality assessment of a collaborative approach for decreasing drug-related morbidity and achieving therapeutic goals.](#)

Isetts BJ, Brown LM, Schondelmeyer SW, Lenarz LA.
Arch Intern Med. 2003 Aug 11-25;163(15):1813-20. →pdf available

[Interrelationships among mortality rates, drug costs, total cost of care, and length of stay in United States hospitals: summary and recommendations for clinical pharmacy services and staffing.](#)

Bond CA, Raehl CL, Franke T.
Pharmacotherapy. 2001 Feb;21(2):129-41.

[Reduction in heart failure events by the addition of a clinical pharmacist to the heart failure management team: results of the Pharmacist in Heart Failure Assessment Recommendation and Monitoring \(PHARM\) Study.](#)

Gattis WA, Hasselblad V, Whellan DJ, O'Connor CM.
Arch Intern Med. 1999 Sep 13;159(16):1939-45. →pdf available

[Pharmacist influence on economic and morbidity outcomes in a tertiary care teaching hospital.](#)

Boyko WL Jr, Yurkowski PJ, Ivey MF, Armitstead JA, Roberts BL.
Am J Health Syst Pharm. 1997 Jul 15;54(14):1591-5.

- **Medication Errors & ADRs**

[Medication errors recovered by emergency department pharmacists.](#)

Rothschild JM, Churchill W, Erickson A, Munz K, Schuur JD, Salzberg CA, Lewinski D, Shane R, Aazami R, Patka J, Jaggars R, Steffenhagen A, Rough S, Bates DW.
Ann Emerg Med. 2010 Jun;55(6):513-21. Epub 2009 Dec 11. →pdf available

[Medication reconciliation at an academic medical center: implementation of a comprehensive program from admission to discharge.](#)

Murphy EM, Oxencis CJ, Klauck JA, Meyer DA, Zimmerman JM.
Am J Health Syst Pharm. 2009 Dec 1;66(23):2126-31. →pdf available

[The effect on medication errors of pharmacists charting medication in an emergency department.](#)

Vasileff HM, Whitten LE, Pink JA, Goldsworthy SJ, Angley MT.
Pharm World Sci. 2009 Jun;31(3):373-9. Epub 2008 Nov 29. →pdf available

[Understanding pharmacist decision making for adverse drug event \(ADE\) detection.](#)

Phansalkar S, Hoffman JM, Hurdle JF, Patel VL.
J Eval Clin Pract. 2009 Apr;15(2):266-75. →pdf available

[Collaboration between pharmacists, physicians and nurse practitioners: a qualitative investigation of working relationships in the inpatient medical setting.](#)

Makowsky MJ, Schindel TJ, Rosenthal M, Campbell K, Tsuyuki RT, Madill HM.
J Interprof Care. 2009 Mar;23(2):169-84. →pdf available

[Prevention of intravenous drug incompatibilities in an intensive care unit.](#)

Bertsche T, Mayer Y, Stahl R, Hoppe-Tichy T, Encke J, Haefeli WE.
Am J Health Syst Pharm. 2008 Oct 1;65(19):1834-40.

[The impact of clinical pharmacists on drug-related problems and clinical outcomes.](#)

Viktil KK, Blix HS.
Basic Clin Pharmacol Toxicol. 2008 Mar;102(3):275-80. Epub 2008 Jan 30. Review. →pdf available

[The impact of clinical pharmacist in a cardiac-surgery intensive care unit.](#)

Al-Jazairi AS, Al-Agil AA, Asiri YA, Al-Kholi TA, Akhras NS, Horanieh BK.
Saudi Med J. 2008 Feb;29(2):277-81.

[Cost implications of and potential adverse events prevented by interventions of a critical care pharmacist.](#)

Kopp BJ, Mrgan M, Erstad BL, DUBY JJ.
Am J Health Syst Pharm. 2007 Dec 1;64(23):2483-7. →pdf available

[Case study: an interdisciplinary approach to medication error reduction.](#)

Nicol N.
Am J Health Syst Pharm. 2007 Jul 15;64(14 Suppl 9):S17-20; quiz S24-6. No abstract available. →pdf available

[Pharmacists versus nonpharmacists in adverse drug event detection: a meta-analysis and systematic review.](#)

Phansalkar S, Hoffman JM, Nebeker JR, Hurdle JF.
Am J Health Syst Pharm. 2007 Apr 15;64(8):842-9. Review. →pdf available

[Prevention of pediatric medication errors by hospital pharmacists and the potential benefit of computerized physician order entry.](#)

Wang JK, Herzog NS, Kaushal R, Park C, Mochizuki C, Weingarten SR.
Pediatrics. 2007 Jan;119(1):e77-85. →pdf available

[Drug-related problems in hospitals: a review of the recent literature.](#)

Krähenbühl-Melcher A, Schlienger R, Lampert M, Haschke M, Drewe J, Krähenbühl S.
Drug Saf. 2007;30(5):379-407. Review. →pdf available

[Improving medication management for patients: the effect of a pharmacist on post-admission ward rounds.](#)

Fertleman M, Barnett N, Patel T.
Qual Saf Health Care. 2005 Jun;14(3):207-11. Erratum in: Qual Saf Health Care. 2005 Aug;14(4):312.
→pdf available

[Pharmacists on rounding teams reduce preventable adverse drug events in hospital general medicine units.](#)

Kucukarslan SN, Peters M, Mlynarek M, Nafziger DA.
Arch Intern Med. 2003 Sep 22;163(17):2014-8. →pdf available

Comment to previous article (→pdf available):

[Do pharmacists' presence on rounding teams reduce preventable adverse drug events in hospital general medical units?](#) Etchells E. (2004)

[Physician-pharmacist collaboration: a millennial paradigm to reduce medication errors.](#)

Sweeney MA.
J Am Osteopath Assoc. 2002 Dec;102(12):678-81. →pdf available

[A brief analysis of clinical pharmacy interventions undertaken in an Australian teaching hospital.](#)

Alderman CP, Farmer C.
J Qual Clin Pract. 2001 Dec;21(4):99-103. →pdf available

[Pharmacist participation on physician rounds and adverse drug events in the intensive care unit.](#)

Leape LL, Cullen DJ, Clapp MD, Burdick E, Demonaco HJ, Erickson JI, Bates DW.
JAMA. 1999 Jul 21;282(3):267-70. Erratum in: JAMA 2000 Mar 8;283(10):1293. →pdf available

Comments to previous article (→pdf available):

[Preventing medication errors in the intensive care unit.](#) Rubino C et al. JAMA. (2000)

[Preventing medication errors in the intensive care unit.](#) Boullata JI et al. JAMA. (2000)

[Preventing medication errors in the intensive care unit.](#) Chen JJ et al. JAMA. (2000)

[Incidence of adverse drug events and potential adverse drug events. Implications for prevention. ADE Prevention Study Group.](#)

Bates DW, Cullen DJ, Laird N, Petersen LA, Small SD, Servi D, Laffel G, Sweitzer BJ, Shea BF, Hallisey R, et al.
JAMA. 1995 Jul 5;274(1):29-34.

[Systems analysis of adverse drug events. ADE Prevention Study Group.](#)

Leape LL, Bates DW, Cullen DJ, Cooper J, Demonaco HJ, Gallivan T, Hallisey R, Ives J, Laird N, Laffel G, et al.
JAMA. 1995 Jul 5;274(1):35-43.

- **Medication Reconciliation**

[Medication reconciliation at an academic medical center: implementation of a comprehensive program from admission to discharge.](#)

Murphy EM, Oxencis CJ, Klauck JA, Meyer DA, Zimmerman JM.
Am J Health Syst Pharm. 2009 Dec 1;66(23):2126-31. →pdf available

[Interventions to improve medication reconciliation in primary care.](#)

Bayoumi I, Howard M, Holbrook AM, Schabert I.
Ann Pharmacother. 2009 Oct;43(10):1667-75. Epub 2009 Sep 8.

[Expansion of pharmacists' responsibilities in an emergency department.](#)

Randolph TC.
Am J Health Syst Pharm. 2009 Aug 15;66(16):1484-7. →pdf available

[Pharmacists' medication reconciliation-related clinical interventions in a children's hospital.](#)

Gardner B, Graner K.

Jt Comm J Qual Patient Saf. 2009 May;35(5):278-82

[Pharmacist-conducted medication reconciliation in an emergency department.](#)

Hayes BD, Donovan JL, Smith BS, Hartman CA.

Am J Health Syst Pharm. 2007 Aug 15;64(16):1720-3. →pdf available

[Pharmacist medication assessments in a surgical preadmission clinic.](#)

Kwan Y, Fernandes OA, Nagge JJ, Wong GG, Huh JH, Hurn DA, Pond GR, Bajcar JM.

Arch Intern Med. 2007 May 28;167(10):1034-40. →pdf available

[Pharmacist-acquired medication histories in a university hospital emergency department.](#)

Carter MK, Allin DM, Scott LA, Grauer D.

Am J Health Syst Pharm. 2006 Dec 15;63(24):2500-3. →pdf available

- **Readmission rates**

[A ward-based pharmacist intervention reduced emergency department visits and drug-related readmissions in elderly patients.](#)

Belknap SM.

Ann Intern Med. 2009 Sep 15;151(6):JC3-14. No abstract available. →pdf available

[Capturing outcomes of clinical activities performed by a rounding pharmacist practicing in a team environment: the COLLABORATE study \[NCT00351676\].](#)

Makowsky MJ, Koshman SL, Midodzi WK, Tsuyuki RT.

Med Care. 2009 Jun;47(6):642-50. →pdf available

[Randomized clinical trial of a postdischarge pharmaceutical care program vs regular follow-up in patients with heart failure.](#)

López Cabezas C, Falces Salvador C, Cubí Quadrada D, Arnau Bartés A, Ylla Boré M, Muro Perea N, Homs Peipoch E.

Farm Hosp. 2006 Nov-Dec;30(6):328-42. →pdf available

[Interventions in primary care to reduce medication related adverse events and hospital admissions: systematic review and meta-analysis.](#)

Royal S, Smeaton L, Avery AJ, Hurwitz B, Sheikh A.

Qual Saf Health Care. 2006 Feb;15(1):23-31. →pdf available

[Effect of pharmacist counseling in patients hospitalized with acute exacerbation of asthma.](#)

Stiegler KA, Yunker NS, Crouch MA.

Am J Health Syst Pharm. 2003 Mar 1;60(5):473-6. No abstract available. →pdf available

[The benefits of a hospital based community services liaison pharmacist.](#)

Brookes K, Scott MG, McConnell JB.

Pharm World Sci. 2000 Apr;22(2):33-8. →pdf available

- **Patient Compliance**

[Sensitivity of patient outcomes to pharmacist interventions. Part III: systematic review and meta-analysis in hyperlipidemia management.](#)

Machado M, Nassor N, Bajcar JM, Guzzo GC, Einarson TR.
Ann Pharmacother. 2008 Sep;42(9):1195-207. Epub 2008 Aug 5. Review.

[Randomized clinical trial of a postdischarge pharmaceutical care program vs regular follow-up in patients with heart failure.](#)

López Cabezas C, Falces Salvador C, Cubí Quadrada D, Arnau Bartés A, Ylla Boré M, Muro Perea N, Homs Peipoch E.
Farm Hosp. 2006 Nov-Dec;30(6):328-42. →pdf available

[Effect of pharmacist counseling in patients hospitalized with acute exacerbation of asthma.](#)

Stiegler KA, Yunker NS, Crouch MA.
Am J Health Syst Pharm. 2003 Mar 1;60(5):473-6. No abstract available. →pdf available

[Impact of clinical pharmacy services on renal transplant patients' compliance with immunosuppressive medications.](#)

Chisholm MA, Mulloy LL, Jagadeesan M, DiPiro JT.
Clin Transplant. 2001 Oct;15(5):330-6. →pdf available

[Evaluation of studies investigating the effectiveness of pharmacists' clinical services.](#)

Morrison A, Wertheimer AI.
Am J Health Syst Pharm. 2001 Apr 1;58(7):569-77.

[Patient survey of a pharmacist-managed anticoagulation clinic.](#)

Lewis SM, Kroner BA.
Manag Care Interface. 1997 Nov;10(11):66-70.

[Establishing pharmaceutical care services in an HIV clinic.](#)

Colombo J.
J Am Pharm Assoc (Wash). 1997 Sep-Oct;NS37(5):581-92; quiz 593-4.

Metaanalyses / Systematic Reviews

(out- and inpatients)

[US pharmacists' effect as team members on patient care: systematic review and meta-analyses.](#)

Chisholm-Burns MA, Kim Lee J, Spivey CA, Slack M, Herrier RN, Hall-Lipsy E, Graff Zivin J, Abraham I, Palmer J, Martin JR, Kramer SS, Wunz T.
Med Care. 2010 Oct;48(10):923-33. Review. →pdf available

[Economic effects of pharmacists on health outcomes in the United States: A systematic review](#)

Marie A. Chisholm-Burns, Joshua S. Graff Zivin, Jeannie Kim Lee, Christina A. Spivey, Marion Slack, Richard N. Herrier, Elizabeth Hall-Lipsy, Ivo Abraham and John Palmer
Am J Health Syst Pharm. 2010 Oct 1;67(19):1624-34. →pdf available

[Does pharmacist-led medication review help to reduce hospital admissions and deaths in older people? A systematic review and meta-analysis.](#)

Holland R, Desborough J, Goodyer L, Hall S, Wright D, Loke YK.

Br J Clin Pharmacol. 2008 Mar;65(3):303-16. Epub 2007 Dec 17. →pdf available

[Sensitivity of patient outcomes to pharmacist interventions. Part III: systematic review and meta-analysis in hyperlipidemia management.](#)

Machado M, Nassor N, Bajcar JM, Guzzo GC, Einarson TR.

Ann Pharmacother. 2008 Sep;42(9):1195-207. Epub 2008 Aug 5. Review.

[Sensitivity of patient outcomes to pharmacist interventions. Part II: Systematic review and meta-analysis in hypertension management.](#)

Machado M, Bajcar J, Guzzo GC, Einarson TR.

Ann Pharmacother. 2007 Nov;41(11):1770-81. Epub 2007 Oct 9. Review.

[Sensitivity of patient outcomes to pharmacist interventions. Part I: systematic review and meta-analysis in diabetes management.](#)

Machado M, Bajcar J, Guzzo GC, Einarson TR.

Ann Pharmacother. 2007 Oct;41(10):1569-82. Epub 2007 Aug 21. Review.

[Pharmacists versus nonpharmacists in adverse drug event detection: a meta-analysis and systematic review.](#)

Phansalkar S, Hoffman JM, Nebeker JR, Hurdle JF.

Am J Health Syst Pharm. 2007 Apr 15;64(8):842-9. Review. →pdf available

[Interventions in primary care to reduce medication related adverse events and hospital admissions: systematic review and meta-analysis.](#)

Royal S, Smeaton L, Avery AJ, Hurwitz B, Sheikh A.

Qual Saf Health Care. 2006 Feb;15(1):23-31. →pdf available