

# **GPI**: IMPLEMENTATION OF A PROTOCOL TO ENSURE CONTINUITY OF PHARMACEUTICAL CARE IN HOSPITALIZED OUTPATIENTS

Dominguez Cantero M, Dominguez Santana CM, Mora Cortés M, Rios Sanchez E, Borrero Rubio JM

## What was done?:

Implementation of a protocol that provides pharmaceutical care to outpatients during hospitalization, ensuring continuity of care through the pharmacy service.


#### Why was it done?


- Patients who withdraw medication from outpatient pharmacies in Spanish hospitals are provided with pharmaceutical care and pharmaceutical care stratification tools in specific outpatient pharmacy consultations.
- •These patients are usually multipathological with multiple drug interactions, contraindications, and important adverse effects.
- •Therefore, during the hospital admission of these outpatients, it was appropriate to provide continuous care from the hospital pharmacy.

#### **How was it done?**

- Development of a software tool to facilitate the location of patients
- •Computer tool selected patients who met the inclusion criteria (hospitalized outpatients with medication withdrawal in the outpatient)

### What has been achieved?





With our protocol, we want to show that outpatients within the pool of patients admitted to a hospital are a priority target group. For these patients, the hospital pharmacist can improve treatment during hospitalization with a high degree of pharmaceutical intervention.







